LINNARRO

DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH

- 8	TU	FAC	Y	3 & DRINI	Hall-T/T	SPECTION REPORT	ADLIOU	JEN I	000
REASON Regular Follow-Up Complaint		1	GRADE 27	Inspection Date: 12/22/2017		ESTABLISHMENT NAME: 7-DAYS SUPERMARKET HARMON PROCESSING PLANT			
		and s		Time In Time Ou	Time Out 少かM	OWNER/OPERATOR:			
Investiga Other:	ation		RATING	Sanitary Permit N	ermit No.:	REWIE 16, HARMON		SING PLAN	
or sooner	, as th	e Dep	artment indi	ons found this cates. Non-c	s day in the	PERMIT STATUS: Valid operations and facilities which must be nay result in downgrading or permit sus correction date.	corrected b		
ITEM*			L.		MARKS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MENT CONT.	DEMERIT	CORRECT BY
	A	regu	llar insp	ECTION WA	c CONDUC	TEO TODAY IN RESPONSE TO CL	MPLAINT	rogansy en	ORP VEIDED 5
	No.	18-	823B A	EGARDING	A RODEN	IT FOUND ON A STICKY TRAF	WITHE	ond fand to	to positioned 5
	FAC	aru.	1. Some	EVIDENCE	WAS PO	UND TO SUPPORT THE COMPLA	i/I	edato (80) &	
-	T					FOLLOWING VIOLATIONS WERE	Commission of the Commission o		11 Paracement vital
5	Foo	רד מב	TELMOM	ETERS NO	- PPOVID	ED AND USED.	EVETU	BIATUS	
2		F	THE MAIN	MOMETER	s strau	BE PROMOED AND USED TO	FACILITA	E 2	01/08/18
2	Mon			0.00		TURES OF POTENTIALLY HAZARO		Service them	palpurance C1
14	ME	AT S	SUCER H	an Accui	HOLLETING	OF FOOD DEBRIS. CHOPPING	BOAKO	2 2	01/08/18
			BARE WO		P CUT IN	ARKS, AND APPEARED TO BE	MADE	HOO SOOK	o reservance
		·	the state of the s		ACES SH	ALL BE KEPT CLEAN AND NO	ON-ABSOR	SENT SOM	I one neuvil et
	10 P				(() 1년 등() 1일	MEAT SLICER SHALL BE CL	manufacture and Manufacture	nesio esan	Sautimes oc
9				Admin aturn 117	money and been	nt of pathogens.		in included in	Park Train III RC
				ntainee, free		ans utensils.		ว รองสำนะ 7	Ecod centa
17	CHE	MICE	al Test S	TRIPS NOT	PROVIDE	shipped to all shipped to a state of the sta	TO THE THE THE	HERIOS(VED;	01/08/18
		Danne	iest stru	ps Strall 1	DE PROVIE	TED TO ENSURE THAT SANITZ	ex.	חם ויש: סו פי	Depty zone
2	SOL	UTION	IS OF	proper di	LUTION.	A le c les tels	emoupe n	elo lo prellor	an appendix he
			botars (In a deposit of the control	Apitilitis Same Street	4	ed amoles	dec illipals	910-0101 03
20	Not	HOT	RUNNIN	6 WATER	AND SA	NITTER PROVIDED FOR THE	WARE -	4	01/08/18
2	WAS	HINE	S SINK.	nin, Health Ci	santary Per				BALVEZ
-						SHALL BE AVAILABLE AND	MED	Micvetably	S abtimes SC
				the above		The state of the s	ve measu	res that I r	nust take.
	abov	e, th	the state of the same of	ollowing ite corrected spection:		Received By (Name & Title): Lyong 6 6 6 7 10 10 10 10 10 10 10 10 10 10 10 10 10	K 12	122/2017	Su lores-Cen
	10	- day		Speciali.		Le inspentor (name of line)	/ unia	200	1/

K. DEL MUNDO

(1), (3), (11), (12), (27), (28), (30), (41) & (45).

DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH EATING & DRINKING ESTABLISHMENT / FOOD ESTABLISHMENT INSPECTION REPORT

	T	10	nouseb eld-	IN convenient access	SPECTION REPORT	godinno	Amino Amin	on house and le	
REASON		V	GRADE	Inspection Date:	ESTABLISHMENT NAME:				
Regular Follow-Up			27	12/22/2017		emon p	ROCESSIN	6 PUNT	
		S DITE		Time In Time Out	OWNER/OPERATOR: MOMO CORPORATION	ed meets	ezardous foi	En mally n	
	Complaint		CATING	8:40 AM 4:30 PM		ann ann	nata namile .		
Investiga Other:	สเเอก		RATING	Sanitary Permit No.:	LOCATION: Establishment Type: PROCESSING PLANT			ant	
Othor.	-	22.21.2	0					Expired	
The follow	ving it	ems ic	ientify violati		operations and facilities which must be co				
or sooner	as th	ie Dep	artment indi	cates. Non-compliance	may result in downgrading or permit suspe				
				itted before the indicated	· · · · · · · · · · · · · · · · ·				
ITEM*	IN HANDINASHINE SINY IN THE PRODUCT PROCESSING AKETT.							CORRECT BY	
31	3) NO HOT RUNNING WATER, SOME THE PAPER TOWERS PROVIDED FOR 4 01/08							01/08/18	
3	HA	ששת	ASHING	SINKS IN BOTH R	ECTROMS. HANDWASHING SIN	IK IN	J. ons) boo	lo pullineH (2)	
10000					O THE FAILCET HANDLE IS IN DI	STANLAND STANLS	Main that is	eoor unit ut	
	1770							THE RESERVED	
- 5			WITH SERVICE OF THE S		FACILITIES STALL BE PROMDED	of Bursellation in	delle kas va	Manual C Manual A	
	TA	TUE	TIE PROPI	er handwashing	AFTER USING TITE RESTROOMS.		Office of the state of the stat	and and an analysis of the second	
			ynemqiye	ille cellings, attached eq	SILS	ושונו	MATVA	רכסם וכעורו	
32	Nb	Thu	ET TICSU	E PROVIDED TOPE I	NEW RESTROOM. NO COVERS PR	MOST	28 4 / Ash	01/08/18	
-	of pigning	-	-	Charge Control of the	and the same of th			0.1001.0	
5 -				the second and the second second	coms. Tollet Room Floors HY	Selfettion)	ntact surfac	III-BOGI-NOM	
	PARK STAINS, AND SEVERAL HOLES FOUND ON WAILS IN MEN'S REST-							Processor Page 1900	
								Doniera of	
	IN BOTH RESTROOMS. 118 OU-1MBM RESTROOMS TO BESTROOM T								
	MOLITALITY COUNTY OF THE PROPERTY OF THE PROPE								
	TOLLET FACILITIES SHALL BE KEPT CLEAN AND IN GOTO REPAIR								
	TO PREVENT SPREAD OF GERMS AND ENTRY OF PETS.								
		n elem			the same has some	at 1840.10	,near sand	20 Sautozina i	
33	A BUNGE OF TRASH FOUND DIPECTLY ON THE GROUND BEHIND THE							01/08/18	
			bee tatti to	emises maintained, trae		The second second	29057183	Huog ocotta	
-21	PUMPOLENS.								
	GARBAGE AND TRAIT SHALL BE PROPERLY STURED, AND DUMPSTER								
-7	ARE	A S	TALL BE	KENT CLEMEN TO F	KEVENT HARBORAGE OF PETTS.	SOUTHANT	10 551 00	new / F	
3	100	hous	mana sain	interes sending their	in the contract of the contrac	a medulo	to to omital	Int society Av	
36	Ties	m2.c	IN BATH	DO ACECCINA DAEAC	HAVE DARK STAINS AND/OR C	Hi OFF	2	OLIBRIE	
	2000		IIV DOIN		THE DAN- STILLS AND OF C	THE SEA	80	OIT SOIT B	
	Thu		2/19/	LOA IS hos 27/201	BROM L A L AND A LANGE			FILE TOTAL TOTAL	
a	8	grap	FLOTIRS S	HAU BE KEPT CU	TAN AND IN GOTO REPAIR TO I	ensure		SEWAGE	
c	PPE	PER	CLEANIN	NE / MAINTENANC	6	iesaasu.	BASSAVIII.	28 Sawace 8	
	ad a	nd u	nderstand	the above violation(s) and I am aware of the corrective	measur	es that I r	nust take.	
				ollowing items are	Received By (Name & Title):	(nortain si	di nasen	HOC-APP OF	
cited			THE PERSON NAMED IN COLUMN	e corrected within	Lyonamo la Kyn K	12/22	12017		
(4) (2)			s of this in		DEH Inspector (Name & Title):	1 110	YARRO	4/	
(1), (3)	(11)	, (12), (21), (28	3), (30), (41) & (45).	K. DET MUNDO + TON	/ LIN/	Milden	6/-	

DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH EATING & DRINKING ESTABLISHMENT / FOOD ESTABLISHMENT INSPECTION REPORT

		Dr	undi de ilati	inient acces	vood NS	SPECTION REPORT	d godinno	Sauce and	na hava man t
RE	ASO	1	GRADE	Inspection		ESTABLISHMENT NAME:	beigdel vi	lago 19 (nej 141)	0.
Regular Follow-Up			27	12/22		7-DAYS SUPERMARKET HA	rmon pri	OCESSING	PUM)
		E DUE		Time In	Time Out	OWNER/OPERATOR:	d meets tem	on) Europiess	e de la constante de la consta
Complai		V	, inc. inage	8:40AM	4:30PM	MOMO CORPORATION	termony an	nata jinaya	manual F
investiga	ation		RATING			LOCATION:	Establishment Type:		
Other:			()	Sanitary P				CEISING PLANT	
		elauc	e ballovor			PERMIT STATUS: Valid		mporary _	Expired
						operations and facilities which must b			
						nay result in downgrading or permit su correction date.	ispension. I	o appeal, a v	vritten
ITEM*	1100	ing it	1000 00 000111	**	MARKS	CONTECTION GETE.		DEMERIT	CORRECT BY
	1000					Hare Oaks marks a miner			PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS
37	WALLS IN BOTH PROCESSING AREAS HAVE DARK STAINS BOTH DOORS 2 01/08/18							01/00/18	
A	AR	7 IN	DISLEPA	7R.	1110 827989	35 11 35 11	pesiminim (Signa) cool	to profonded 2
	Playing	la	IAIL AN	O DODG C	SHAU. A	E KERT CLEAN AND IN GOOD	BROMP	urien fam a	TENNAME SECOND
							turn terror	no too to de	
	עדן	THO	au me	MUOPER CL	<u>eaning</u>	AND MAINTENANCE.	9(DVIII bobo	Balo Kog Ki	E TO THE STREET STATE OF THE
					ohnnie	Δ []	714	water was a second	
42	SHT	PPIN	6 CARTS	EMPLINE	F CLOTHI	NG, EMPTY CARDBOARD BOX	T. AND	2	01/08/18
			entre de latine	ningil répair	- Bergrandenn	ST TO DEPENDE	M. Burlandelan a	react, surface	Dotto Allera
	Din	EK	UNNECESS	ARY IIEI	מעסד בני	D IN BOTH PROCESSING ARI	7/10/2011	haniatma	
		₽	REMIGES	SHAU B	FREE	OF UNNECESSARY ARTICLE	TD corg a	חומכו בעולפכ	a poul-novit
8	PREVENT CROSS-CONTRAMINATION.								cetouri-rios)
	-	3101				- Delantie	וטאום וופוז, כטו	PANIMENT II	HIREWOLL IV
-	maintained installed to aret, operated and used Poems and equipment vented as required.								
	PICTURES OF THE VIOLATIONS WERE TAKEN.								
	-		a barara araw	20 1	PICH (PEL)	A STATE OF THE STA	10	Nana dhab	Salvage by milest
7	heaven cover the same and the same same and the same same same same same same same sam								
	PETRIEVED "A" PLACARO AND POSTED "C" PLACARO NO. 00275.								
		10/10	anset tanana			al man man the	COLUMN TOWN	MESICIEBR	20 Suntaining
0	SANITARY PERMIT FOR THE RETAIL FACILITY HAS BEEN SUSPENDED;								
C	THUS, SELLING OF PROCESSED MEAT AND PRODUCE PREPARED!								
	PACKAGED FROM THIS PROCESSING PLANT SHALL NOT BE ALLOWED.								
					เลาะเกิดสายเ		STOREMENTS.	na hee of c	nobic they
	110	Farin	name of August	Design Of Services	e araidino	A THE SAME PROPERTY ON ST	in solitemen	sip to primi	in apstore AVE
- 2 1	11550		LETTER 1	TWARNIN	16 VIVID A	LE-INSPECTION REDUEST FO	KIVI.		
					SOURTOR	1 4	28/0(DB 93	Usibble selv	23 No re-use i
	DISCUSSED THIS REPORT WITH OWNER, KYONGMO KU.								
4		16.40			Sincerd valid	l äh l	1	and never and	SEMENSE
6	Title:		na katana at	ور برنا حالم			68003	TOJEWNIEDY	m political of
have re	ead a	nd u	nderstand	the above	violation(s	s) and I am aware of the correc	tive measu	ires that I r	nust take.
*Note	: Wh	en a	iny of the f	ollowing ite	ms are	Received By (Name & Title):	'apan i tox	hac interes	His Testing of The
cited				e corrected	within	Kyonamo Ku Kyn L	12/22/2	017	
	-		s of this in	Standard Control		DEH inspector (Name & Title):	L. NAVA)(
(1), (3)	, (11)	, (12	2), (27), (28	3), (30), (41) & (45).	K DEL MUNDO + SA /	L. NAVA	RRU >	7
								-	

GOVERNMENT OF GUAM



DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES



LLAN R

SIL CTOR

G U A M	DIPATTAMENTON	SALUT PUPBLEKO YAN SETBISION SUSIAT	Section 1
EDDIE BAZA CALVO GOVERNOR			JAMES W. GI DIRECTO
R AY TENORIO LIEUTENANT GOVERNOR			LEO G. CA DEPUTY DIRE
		Date: /2/22/	2017
Name of I	Establishment	N PROCESSING PUNT	
_	ection your establishment	t received a:	
LETTER OF WA	RNING	(Demerit/Grade Points)	
written reque	est for re-inspection to in receive a written re-insp	ons cited on your establishment's inspection report, you must include a description of the corrective measures that you have it pection request from you, we will conduct a follow-up inspection of this notice to ensure that corrective measures have been perfectly the properties of the content of the corrective measures have been perfectly the corrective measures and the corrective measures have been perfectly the corrective measures and the corrective measures are considered to the corrective measures and the corrective measures are considered to the corrective measures and the corrective measures are considered to the corrective measures and the corrective measures are considered to the corrective measures and the corrective measures are considered to the corrective measures are considered to the corrective measures and the corrective measures are considered to the correction of the corr	mplemented. tion after ten
Failure to co 10GCA, Cha		sult in the closure of your establishment pursuant to section	21109(b) of

NOTICE OF CLOSURE	
	(Demerit/Grade Points)

Once you have corrected all violations cited on your establishment's inspection report, you must provide us a written request for re-inspection to include a description of the corrective measures that you have implemented, Unlike an establishment who has received a letter of warning, an establishment shall remain closed unless a written request for re-inspection is made. Under 10 GCA Ch. 21 §21109(b), suspension without prior hearing may be imposed until the violation is corrected. You may also request a hearing to the Division of Environmental Health within five (5) calendar days of the date of this notice. When a hearing is requested following a suspension without prior hearing, it shall be discretionary with the Director as to whether the suspension shall be continued pending the hearing.

We look forward to working closely with you as partners in promoting health and sanitary practices on Guam. If you need further assistance, you can reach us at 735-7221 or (fax) 734-5556. Si Yu'us Ma'ase,

Received By: Kyongmo Kv Establishment Representative

123 CHALAN KARETA, MANGILAO, GUAM 96913-6304 www.dphss.guam.gov • Ph.: 1.671.735.7102 • Fax: 1.671.473.5910